

T.E.M.P.O Tree Evaluation Sheet

APPENDIX 2

Evaluation by: Gavin Boyes Date: 7th February 2024 Sheet No. 4 of 4

Address/Site Details: 21-23 Hawthorne Drive - Hollywood.

Tree Ref	Species	DBH (mm)	Amenity Assessment			Sub	d - other factors	Exped iency	Score	TPO Y/N?	Notes
			a - Condition	b - Longevity	c - Visibility						
T1	Oak	*800	3	4	4	11	1	5	17	Y	Grown Previously Reduced
T2	Oak	*1000	3	4	4	11	1	2	14	Y	Grown Previously Reduced.

- Part 1: Amenity assessment**
- a) **Condition**
- 5) Good (highly suitable)
 - 3) Fair (suitable)
 - 1) Poor (unlikely)
 - 0) Unsafe
 - Dead
- b) **Longevity**
- 5) 100+
 - 4) 40 - 100
 - 2) 20 - 40 (suitable)
 - 1) 10 - 20 (just suitable)
 - 0) <10 (unsuitable)

- Part 2: Expediency assessment**
- 5) Known threat to tree
 - 3) Foreseeable threat to tree
 - 2) Perceived threat to tree
 - 1) Precautionary only
 - 0) Known as an actionable nuisance
- Part 3: Decision guide**
- Any 0 Do not apply TPO
- 1 - 6 TPO indefensible
- 7 - 11 Does not merit TPO
- 12 - 15 Possibly merits TPO
- 16+ Definitely merits TPO

Trees must have accrued 7+ points (& no zeros) to qualify

Trees must have accrued 9+ points (& no zeros) to qualify